






MODELO CLRP: CAJAS LÍNEA REMOTA PULSADOR								
REFERENCIA	No Ø22,5	DIMENSIONES (mm)			FIJACIÓN MURAL (mm)		PESO (Kg)	PROFUNDIDAD ÚTIL
		A	B	C	E-a	E-b		
RMT-10106-P	1	100	100	60	65	115	0,5	55
RMT-10109-P	1	100	100	90	65	115	0,75	85
RMT-10156-P	2	100	150	60	65	165	0,75	55
RMT-10159-P	2	100	150	90	65	165	1	85
RMT-10206-P	3	100	200	60	65	215	1	55
RMT-10209-P	3	100	200	90	65	215	1,2	85
RMT-10256-P	4	100	250	60	65	265	1,25	55
RMT-10259-P	4	100	250	90	65	265	1,5	85


NOTA: Se perfora pulsadores bajo pedido.




MODELO CLRDP - CAJAS LÍNEA REMOTA-DERIVACION Y/O PULSADOR								
REFERENCIA	No Ø22,5	DIMENSIONES (mm)			FIJACIÓN MURAL (mm)		PESO (Kg)	PROFUNDIDAD ÚTIL
		A	B	C	E-a	E-b		
RMT-151512-DP	2x2	150	150	120	115	165	1,5	115
RMT-152012-DP	3x2	150	200	120	115	215	1,8	115
RMT-202012-DP	3x3	200	200	120	165	215	2,2	115
RMT-202512-DP	4x3	200	250	120	165	265	2,7	115

Nota: Se perforan pulsadores bajo pedido.

Dimensiones y Referencias



BOSSTEL REMOTA DERIVACIÓN	
Espesor	1.2 mm
Material	Acero AISI 304
Acabado	Satinado (N4)



MODELO CLRD - CAJAS LÍNEA REMOTA-DERIVACION

REFERENCIA	No Ø22,5	DIMENSIONES (mm)			DOBLE FONDO (mm) (Opcional)		FIJACIÓN MURAL (mm)		PESO (kg)	PROFUNDIDAD ÚTIL (mm)
		A	B	C	F	L	E-a	E-b		
RMT-152015-D	3x2	150	200	150	124	174	115	215	2,1	145
RMT-202015-D	3x3	200	200	150	174	174	165	215	2,5	145
RMT-202515-D	4x3	200	250	150	174	224	165	265	3	145
RMT-203015-D	5x3	200	300	150	174	274	165	315	3,5	145
RMT-253015-D	4x4	250	300	150	224	274	215	315	3,75	145

Nota: Se perforan pulsadores bajo pedido.